AVT Enterprises Engineers & Consultants 718-720-5088 Lic # 16000005388

			.	
Name	:	John	Smith.	

Address: Any Address.

City: Brooklyn.

State, Zip Code : New York.

Property Location

Address: Any Address.

City, State: Brooklyn, NY.

This is our report of a visual inspection of the readily accessible areas of this building, in accordance with the terms and conditions contained in the **PRE-INSPECTION AGREEMENT**, which is part of this report and incorporated herein. Please read the **REMARKS** printed on each page and call us for an explanation of any aspect of this report, written or printed, which you do not fully understand.

Date of inspection: 01/01/2009. Time: 9.00. Weather Conditions: Clear.

Outside Temp. 30 deg.

PRE-INSPECTION AGREEMENT

(PLEASE READ CAREFULLY) COMPANY agrees to conduct an inspection for the purpose on informing the CUSTOMER of major deficiencies in the condition of the property subject to the UNCONDITIONAL RELEASE AND LIMITATION OF UARIUITY below. The inspection and report are

the property, subject to the **UNCONDITIONAL RELEASE AND LIMITATION OF LIABILITY** below. The inspection and report are performed and prepared for the sole, confidential and exclusive use and possession of the CUSTOMER. The written report will include the following only:

Structural condition and basement Electrical, Plumbing, Hot water heater, Heating and Air Conditioning (excluding room units) Quality, condition and life expectancy of major systems Kitchen and bathrooms (excluding appliances) General interior, including ceilings, walls, floors windows, insulation and ventilation General exterior, including roof, gutters, chimney drainage and grading Estimates on major repairs within the next 3 years

It is understood and agreed that this inspection will be of readily accessible areas of the building and is limited to visual observations of apparent conditions existing at the time of the inspection only. Latent and concealed defects and deficiencies are excluded from the inspection; equipment, items and systems will not be dismantled.

Maintenance and other items may be discussed, but they are not a part of our inspection. The report is not a compliance inspection or certification for past or present governmental codes or regulations of any kind.

The inspection and report do not address are not intended to address the possible presence of or danger from any potentially harmful substances and environmental hazards including but not limited to radon gas, lead paint, asbestos, urea formaldehyde, toxic or flammable chemicals and water and airborne hazards. Also excluded are inspections of and report on swimming pools, wells, septic systems, security systems, central vacuum systems, water softeners, sprinkler systems, fire and safety equipment and the presence or absence of rodents, temites, and other insects.

UNCONDITIONAL RELEASE AND LIMITATION OF LIABILITY

It is understood and agreed that the COMPANY is not an insurer and that the inspection and report are not intended or to be construed as a guarantee or warranty of the adquacy, performance or condition of any structure, item or system at the property address. The CUSTOMER hereby releases and exempts the COMPANY and its agents and employees of and from all liability and responsibility for the cost or repairing or replacing any unreported defect or deficiency and for any consequential damage, property damage or personal injury of any nature.

In the event that the Company and/or its agents or employees are found liable due to breach of contact, breach of warranty, negligence, negligent misrepresentation, negligent hiring or any other theory of liability, then the liability of the COMPANY and its agents and employees shall be limited to a sum equal to the amount of the fee paid by the CUSTOMER for the inspection and report.

Acceptance and understanding of this agreement are hereby acknowledged:

Company Representative	Date	Customer	Date
	Payment	Record	
Total Fee \$ Paid b	y: 🗌 Check 🗌 Cash	Money Order	

BUILDING INSPECTION REPORT SUMMARY

List of major electrical, mechanical and plumbing items not operating, roof leaks and major deficiencies:

1) Check of legal status of rear wood frame top floor extension needed. Upgrades to wood frame extension also needed. Highly weathered and worn

Masonry repairs, replacement of lintels and tuck pointing of exterior brick needed on building. Some additional pointing and repairs to visible portions of brick foundation in basement also needed
 Resurfacing of exterior concrete needed. Sidewalk, rear concrete etc. Improved pitch and improved drainage also needed. Seepage signs noted at back of basement. Waterproofing of foundation recommended especially prior to finishing basement.

4) Powder post beetle damage noted to flooring and molding in rear extension. House needs to be treated. Repair to rear extension also needed.

5) Electrical upgrades needed including new 100 amp service, replacing older cloth covered wiring, adding circuits, new, fixtures, outlets etc. Evaluation by licensed electrician needed. 6) Due advanced age of visible piping and overall age and interior condition of kitchen and baths, full upgrade of plumbing should be done with renovations (water, waste, heat & gas) Repiping recommended with renovations. Evaluation by licensed plumber needed.

7) Some above average floor sag noted in hall & bath area of 2nd floor. Typical with this age house. Generally caused by deterioration to joists under bath area & around staircase header. Unable to evaluate due joists not visible, framing upgrades should be anticipated. Further investigation needed.
8) Roof leak noted around skylights. Also general wear and bubbled areas noted to membrane roofing. Evaluation by roofer needed. Full strip and recovery should be anticipated and considered.

List of some important non-cosmetic items not significantly defective or in need of immediate repair or replacement but may be within the next 3 years:

- 1) Rebuilding of front landscape retaining walls and exterior steps
- 2) Recovery of porch roof.
- 3) Windows, skylights and exterior doors on house highly worn. Replacement needed.

Inspection Remarks

House main levels require average amounts of cosmetic work in addition to above items and routine maintenance, with exception of kitchens and baths which are dated & worn and in need of upgrades. Finished basement in poor overall condition and needs full gut rehab. Full plumbing and electrical upgrades should be done with renovations.

STRUCTURE

TYPE OF BUILDING	Single Duplex 🗹 Rowhouse/Townhouse Multi-Unit Coop/Cond	ło					
	Attached masonry rowhouse 90+yrs.						
	□ Wood Frame ✓ Masonry □ □ Gable Roof □ Shed □ Hip □ Gambrel □ Mansard □	✓ Flat					
STRUCTURE	Foundation Wall: Pour Concrete Block Image: Block Image: Stone Posts/Columns: Steel Masonry Wood Concrete Image: Stone] Not visible					
	Floor Structure: <u>3 x 8 Floor Joists.</u>						
	Wall Structure: 2 x 4 Wall framing.						
	Roof Structure: Structure not visible.						
	Observations: ✓ Water damage ✓ Insect damage ✓ Some signs Extensive None Signs of abnormal condensation □ Extensive □ None observed □ No major structural defects noted in normal condition for its age	ne observed					
REMARKS	 Age related settlement to structure noted, not excessive for its age. Spawling & moisture related erosion noted to visible portions of foundation. Parging & sealing needed along with water proofing of foundation especially prior to finishing basement. 						
	 3) Localized water damage noted to visible joists especially in areas of kitchens. Some reframing should be anticipated as part of interior renovations. Framing da exist in areas not visible 4) Powder post beetle damage noted to flooring and molding in rear extension. He to be treated. Damage may exist in areas not visible 	image may					
	to be treated. Damage may exist in areas not visible.						
	BASEMENT (OR LOWER LEVEL)	t atorogo					
BASEMENT	 Full Partial None Slab on grade Limited visibility due to extensive basement storage Walls: Open Closed Ceiling: Open Closed Basement finished, structural & framing members not visible. Poor cosmetic condition, full gut rehab needed. 						
FLOOR	Concrete V Wood Dirt V Resilient tile Carpeting	Satisactory					
FLOOK	Old VCT tile high wear. Wood subfloor in rer extension damaged. Full	□ N/A					
FLOOR STORM DRAIN	□Tested ♥ Not tested □ Water observed in trap Recommend cleanout of floor/storm drains. Improved drainage needed.	Satisfactory					
SUMP PUMP	Tested Not tested French drain	✓ N/A					
BASEMENT DAMPNESS	Some signs 🗹 Extensive None observed Past 🗹 Present Unknown Non-waterproof foundation general dampness noted. Some seepage signs noted at rear extension. Further investigation needed. Waterproofing needed.						
CRAWL SPACE	Readily accessible Not readily accessible Conditions observed Method: Conditions not observed Image: Conditions not observed	Satisfactory					
	Floor: Concrete Dirt Wood to earth contact Dampness: Some signs Extensive None observed Vapor barrier Insulation Ventilation						
REMARKS							

HEATING AND COOLING

HEATING SYSTEM	Oil Gravity Hot Water Boiler Electric Forced Hot Water Boiler	Radiant Heat Electric Baseboard Heat Pump	✓ Satisfactory _ N/A
FUEL SUPPLY	☐ Oil tank in basement ☐ Buried ✔ Public gas supply ☐ Keyspan Energy.	Electricity	
HEAT EXCHANGER	Partially observed INot visible; enclosed combustion I Have a Recommend Precautionary CO chk with repeat annual t		□ N/A
REMARKS	Weil Mclain, boiler operating normally at time of inspecti Recommend service contract though keyspan energy (n maintenance and repairs to unit should be anticipated.		
DELIVERY SYSTEM	 ✓ Radiators □ Convectors □ Baseboard Convectors □ Galvanized pipes □ Copper pipes ✓ Iron pipes ✓ Pipes r Older sections of pipe and components noted. System f maintenance to system should be anticipated. Various ravalves. Service by plumber needed. Basement baseboard will be needed for basement heat. 	unctional but age related adiators need repitching	with new
HUMIDIFIER	Atomizer Evaporator Not functioning Not tested		✔ N/A
FILTER	Washable Disposable Electronic Electro	ostatic	✓ N/A
AUXILARY HEAT	Location 1: Type 1: Location 2: Type 2:		Satisfactory
COOLING	Central Air Room Units Heat Pump Though Wall F Electric Compressor Gas Chiller Ductwork Condensing Unit Capacity 1: Age: Condensing Unit Capacity 2: Age: Condensing Unit Capacity 3: Age:	yrs 🗌 Not tested	Satisfactory
REMARKS			

PLUMBING

WATER SERVICE ENTRANCE PIPE	 ✓ Public □ Private (see page 8) ✓ Water meter installed Pipe: ✓ Copper □ Galvanized □ Brass □ Lead □ Unknown Main shutoff location: Basement. No leaks noted. 	 ✓ Satisfactory □ N/A
SUPPLY PIPES	✓ Copper Galvanized ✓ Brass Plastic Lead ✓ Unknown Water Flow: ✓ Tested Not tested ✓ Leaks: ✓ None observed Hose bibbs: Operating Not operating ✓ Not tested None	Satisfactory
DRAIN, WASTE, VENT	Waste Pipes: Copper Galvanized Ga	ptic (see page 8)
WATER HEATER	 ✓ Gas ☐ Electric ☐ Oil ☐ Integral with heating system ☐ Boiler Mate Tank Capacity 40. Gal. Ample for 4. people Age:12. yrs ✓ Pressure relief valve ☐ Extension Average life expectancy of unit 8 - 10 years. Anticipate replacement. 	Satisfactory
REMARKS	Distribution piping functional, numerous older sections noted. Based on age of and anticipated renovations full upgrade piping recommended. Evaluation by li- plumber needed.	
	ELECTRICAL	
SERVICE ENTRANCE CABLE	Capacity 60. Amps 220. Volts Service entrance: Overhead ✓ Underground Conductor material: ✓ Copper Aluminum Unknown Service upgrade to at least 100 amps 220 volts needed.	Satisfactory
MAIN PANEL BOX	Location: BSMT. 60. Amps ♥ Fuses ♥ Circuit Breakers □ Subpanel Location: ♥ Grounded Capacity of Main Current Disconnect: Amps Amps Amps Upgrade of service and equipment needed. Amps Amps Amps	Satisfactory
CIRCUITS/ WIRING	Quality: Ample Branch Wiring: Image: Copper Aluminum GFCI: Image: Needed in kitchens baths Various older conductors noted, Distribution upgrades recommended including older cloth covered wiring, extra circuits, outlets etc.	Satisfactory
OUTLETS, FIXTURES, SWITCHES	Random testing Reversed polarity Open ground Smoke detectors Limited testing. Extra outlets may be desired. Two prong outlets need replacing	Satisfactory
REMARKS	Distribution upgrade needed, including new service and full distribution upgrade Evaluation by electrician needed. Rewire with renovations.	e to building.

KITCHENS AND BATHS

CABINETS/ COUNTERS	Old wood cabinets and laminate counter age with high wear.	r(40+yrs)-serviceable but showing their	Satisfactory	
SINK	Plumbing Leaks: Some Signs Not obs Disposal: Operating Not operating	Age: yrs	Satisfactory	
DISH WASHER	Operating Not operating Not tested	Age: yrs	Satisfactory	
RANGE/ OVEN	 ✓ Operating □ Not operating ✓ Gas □ Older Caloric unit-functional with wear. 	Electric Difference Age: 50+ yrs	Satisfactory	
REFRIGE	✓ Operating ☐ Not operating ✓ Frost Free Basic unit-functional with wear.	e Age: <u>10+</u> yrs	Satisfactory	
OTHER APPLIANCES	Operating	Not operating Age: yrs Not operating Age: yrs	Satisfactory	
FLOOR	☐ Resilient tile ♥ Sheet goods ☐ Cerami Linoleum floor with high degree of age re		Satisfactory	
VENTING	Exhaust fan Ductless Vented to ou	utside 🗌 Filter 🗌 Light	Satisfactory	
CLOTHES WASHER	☐ Operating ♥ Not tested Age: <5. Not tested, need full cycle to properly te	yrs est.	Satisfactory	
CLOTHES DRYER	Operating Not tested Gas E Vented to	Electric Age: yrs	☐ Satisfactory ✔ N/A	
REMARKS	Kitchen and baths need full rehab.			
BATHROOM NO.1: Location:2nd Flr. Built in tub Leg tub Stall shower Jacuzzi Jacuzzi Shower wall covering: Ceramic tile				
BATHROOM NO.3: Location: Built in tub Leg tub Stall shower Shower wall covering: Ceramic tile		BATHROOM NO.4: Location: Built in tub Leg tub Stall shower Shower wall covering: Ceramic tile Tile regrouting needed: Yes No Floor covering: Ceramic tile Ventilation: Leaks: Some signs		

INTERIOR

FLOORS	 ✓ Hardwood □ Softwood ✓ Plywood □ Wall-to-Wall Carpet ✓ Tile/Sheet Goods □ Other: □ Page flager pot fully wighter 	Satisfactory
	Base floors not fully visible. Floor dated coverings with age related wear. Loca refinishing of wood floors needed throughout.	lized repairs &
WALLS	Plaster on: Gypsum Lath Image: Wood Lath Image: Not known Other Image: Drywall Image: Wood Image: Paneling Various cosmetic attention required throughout.	Satisfactory
CEILINGS	Plaster on: Gypsum Lath Vood Lath Not known Drywall Drop ceiling	Satisfactory
STAIRS/ RAILINGS	Main stairs serviceable. Normal wear & settlement. Some tightening needed.	Satisfactory
FIREPLACE	Flue liner Damper Operating Not operating Metal pre-fab Free-standing Clean before use Closed off not functional.	Satisfactory
DOORS (INTERIOR)	Older interior doors with age related wear to doors and hardware noted. Some upgrades needed. Pocket doors need refitting.	Satisfactory
WINDOWS	 Double hung Casement Awning Sliding Fixed Wood Metal Vinyl Insulated glass Jalousie Vinyl covered wood Older builders grade units and old wood windows with high degree of age relate Replacement needed to all units. 	Satisfactory Storm windows ed wear.
REMARKS	General interior in need of various cosmetic attention, dated and showing its ag areas. Finished basement needs full gut rehab.	ge in several
	ATTIC	
ACCESS	How observed: Not observed Stairs Pulldown Scuttlehole No access Inaccessible air space, no attic.	Satisfactory
MOISTURE STAINS	Some signs Extensive None observed Mold and Mildew Condensat	ion
STORAGE	Heavy Light Floored Not floored	
INSULATION	Type: Installed in: Rafters Floor Approx R Rating: Unable to evaluate no access.	Satisfactory
VENTING	 Window(s) Attic Fan Whole House Fan Gable End Louvers Ridge Vent Soffit Vent Turbine Roof Vent(s) Recommend add roof vent. 	Satisfactory
REMARKS		

ROOFING

ROOF	Location	Materials	Age	
COVERING	Banangi	Flat "rubber"	<u>10. yrs</u>	Satisfactory
		Asphalt Shingles.	<u>10-15_{yrs}</u>	Satisfactory
	Rear ext.	Flat "rubber"	<u> 10. yrs</u>	Satisfactory
			yrs-	Satisfactory
	and extension roof with ru	ns Extensive None observe with age related wear. Antic ober membrane. Leak noted a Evaluation by roofer needed.	ipate recovery in nea around skylight. Also	general wear
FLASHING	Aluminum Galvanized Not visible.	Copper Rubberized membra	ne	Satisfactory
GUTTERS/ LEADERS	Aluminum Galvanized Extension/Slashblocks: Yes Sealing, realignment & cle	anout recommended.		Satisfactory
		EXTERIOR		
EXTERIOR DOORS	Older exterior doors functi recommended.	onal with age related wear &	weathering. Upgrade	S Satisfactory
WINDOWS/ SKYLIGHTS	Roof windows and skylights: Cap frames with window r		None observed	Satisfactory
EXTERIOR WALL	Location Front.	Material Brick.		Satisfactory
COVERING				Satisfactory
	Rear & extension.	Brick.		Satisfactory
	Top extension.	Asphalt shingles.		Satisfactory
	Masonry repairs and tuck	y wear, receeding mortar, var pointing needed. Lintels need various repairs. Highly weath	l replacing. Frame ext	
EXTERIOR	Signs of rot Extensive	None observed		Satisfactory
TRIM	every 3 - 5 years. Rear fra repair and refinishing.	weathering & wear. Routine me extension and porch enclosed	osure also needs	□ N/A
CHIMNEY		In Chase 🗹 Clean before use 🗹 C Recommend internal inspection		Satisfactory
GARAGE/ CARPORT	Garage Carport Attac	ched Detached Safety Reverse		☐ Satisfactory ✓ N/A
PORCH	Floor: Wood Conc Enclosed porch with weat cracking to slab noted.	rete Railing/Guardrail nering and wear. Refinishing r	needed. Some	Satisfactory
REMARKS				

GROUNDS

GRADING	General grading, slope and drainage: Localized grading flat. Regrade required if bsmt. moisture becomes objectionable.	☐Satisfactory ☐N/A
SIDEWALK/ WALKWAYS	Concrete Brick Bluestone Age related wear & cracking noted. Resurfacing needed.	Satisfactory
DRIVEWAY	Concrete Asphalt Brick	Satisfactory ✔N/A
WINDOW WELLS	Metal Brick Concrete	Satisfactory ✓N/A
RETAINING WALLS	✓ Brick Block Stone Concrete Weep Holes Pointing and repair to front brick landscape wall needed. Weep holes also needed.	Satisfactory
TREES/ SHRUBBERY	Not evaluated due winter.	Satisfactory
FENCING	✓ Metal ♥ Wood □ Older fence with age related wear and weathering. Upgrade needed.	Satisfactory
REMARKS		
DECK/ BALCONY	Signs of rot Extensive None observed	Satisfactory ✓N/A
PATIO/ TERRACE	Concrete Brick Flagstone Resurfacing and repitching needed to concrete at rear of house.	Satisfactory
EXTERIOR STEPS	Landing: ✓ Concrete/Masonry Wood Metal	Satisfactory
OUT- BUILDINGS	Not observed	Satisfactory ✔N/A
REMARKS		

Wood Destroying Insect Inspection Report	Notice: Please read in	nportant coms	umer information on	page 2
Section I. General Information	Company's Business Li C2673396.			1
AVT Enterprisés. PO Box 280-291.	Address of Property Inspected 538 16th Street.			
Brooklyn, NY 11228-0291. 718 720-5088.	Brooklyn, NY.			
Inspector's name, Signature & Certification, Registration, or Lic. #		Structure(s)	Inspected	
Joseph A. Pasaturo. C2673396.		House.		
Section II. Inspection Findings This report is indicative of the condit to be construed as a guarantee or warranty against latent, concealed, or future readily accessibile areas of the structure(s) inspected:	tion of the above identifi ure infestations or defect	ed structures(ts. Based on	s) on the date of insp careful visual inspe	ection and is not ection of the
A. No visible evidence of wood destroying insects was observed.				
B. Visible evidence of wood destroying insects was observed as follow	WS:			
1. Live insects (description and location):				
2. Dead insects, insects parts, frass, shelter tubes, exit holes, or sta	aining (description and	location):		
3. Visible damage from wood destroying insects was observed as f noted along back side of basement in rear extended.	ollows (description and	location):	Powderpost be	etle damage
NOTE: This is not a structural damage report. If box B above is check including hidden damage may be present. If any questions arise regard	ling damage indicated by	y this report, it	is recommended that	
interested parties contact a qualified structural professional to determint the Yes No V It appears that the structure or portion thereof may have b	-		•	s treatment:
No proof of treamtment noted.				
The inspecting company can give no assurances with regard to work done to contacted for information on treatment and any warranty or service agreements and any warranty or service agreements and any warranty or service agreements are assurances.			t performed the treatr	nent should be
Section III. Recommendations				
No treatment recommended: (Explain if Box B in Section II is checked)				
Recommended treatment for control of: Powderpost Beatles	ò.			
Section IV. Obstructions and Incorposible Areas				
Section IV. Obstructions and Inaccessible Areas The following areas of the structure(s) inspected were obstructed or inacces	ssible:		The inspector may wri or use the following o	
✓ Basement <u>1. 6. 7. 8. 9. 11.</u> □ Crawlenace			1. Fixed ceiling 2. Suspended ceiling	 13. Only visual access 14. Cluttered condition
☐ Crawlspace ♥ Main Level _1. 3. 4. 6. 7. 8. 9. 11.			 Fixed wall covering Floor covering 	15. Standing water 16. Dense vegetation
			5. Insulation 17. Exterior siding 6. Cabinets or shelving 18. W indow well cove	•
Garage Exterior			7. Stored items 8. Furnishings	19. W ood pile 20. Snow
Porch			9. Appliances	21. Unsafe conditions
Addition			10. No access or entry 11. Limited access	22. Rigid foam board 23. Synthetic stucco
Other			12. No access beneath	24. Duct work, plumbing and/or wiring
Section V. Additional Comments and Attachments(these are not visible.	e an integral part of the r	eport) <u> </u>	amage may ex	tist in areas
Attachments				
Signature of Seller(s) or Owners(s) if refinancing. Seller acknowledges that all information regarding W.D.I. infestation, damage, repair, and treatment history ghas been disclosed to the buy	Signature of Bu receipt of a copy of understands the inf	both page 1 a	dersigned hereby ack nd page 2 of this repo rted.	nowledges ort and
x	x			

Form NPMA-33 (9/01/04) 2004 National Pest Management Association. All rights reserved. No reproduction of this form is permitted without the express permission of NPMA Form NPCA-1 is obsolete after 12/31/04